

# MATERIAL SAFETY DATA SHEET

Date Issued 11/11/08

## SECTION I – COMPANY AND PRODUCT INFORMATION

MANUFACTURERS NAME

APOC

STREET ADDRESS

4161 E 7<sup>TH</sup> AVENUE

EMERGENCY TELEPHONE NUMBER

1-800-424-9300

PRODUCT CLASS

ASPHALT MASTIC A/F

CITY, STATE, AND ZIP CODE

TAMPA, FL 33605

PRODUCT INFORMATION

813-248-2101

MANUFACTURER'S CODE

IDENTIFICATION

APOC 122

TRADE NAME

APOC

## SECTION II- HAZARDOUS INGREDIENTS

INGREDIENT	PERCENT	TLV PPM	TLV Mg/M3
PETROLEUM ASPHALT CAS # - 8052-42-4	<50%	**	0.5 Fume
MINERAL SPIRITS CAS # - 8052-41-3	<20%	100	**
INORGANIC FILLER CAS # - 1317-65-3	<35%	**	10*
CELLULOSE FIBER CAS # - 9004-34-6	<10%	**	10*
SURFACTANT CAS # MIXTURE	<1%	**	**

ADDITIONAL INFORMATION-\*AS RESPIRABLE FRACTION OF DUST. \*\* NOT ESTABLISHED

### Hazardous Materials Identification System (HMIS)

Health  
1

Flammability  
2

Reactivity  
0

Personal Protection  
C

## SECTION III – PHYSICAL DATA

BOILING RANGE: 300 °F - 390°F VAPOR DENSITY: HEAVIER THAN AIR

EVAPORATION RATE: SLOWER, THAN ETHER

PERCENT VOTILE BY  
VOLUME <30 %

WEIGHT PER GALLON  
BY VOLUME 9.6 LBS

## SECTION IV – FIRE AND EXPLOSION HAZARD DATA

DOT CATEGORY – Not regulated

FLASH POINT- 105°F Minimum

EXTINGUISHING MEDIA- CO<sub>2</sub>, FOAM, & DRY CHEMICAL

UNUSUAL FIRE AND EXPLOSION HAZARDS- CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO EXTREME HEAT. PRODUCTS OF COMBUSTION MAY BE TOXIC

SPECIAL FIRE FIGHTING PROCEDURES- WEAR SELF CONTAINED BREATHING APPARATUS. WATER MAY BE USED TO COOL CLOSED CONTAINERS. HIGH PRESSURE STREAM WILL SPREAD FIRE.

## SECTION V – REACTIVITY DATA

STABILITY: STABLE

CONDITIONS TO AVOID: HEAT, FLAMES, STRONG OXIDIZERS

INCOMPATIBILITY (MATERIALS TO AVOID): CARBON OXIDES  
HAZARDOUS DECOMPOSITION PRODUCTS: NONE  
HAZARDOUS POLYMERIZATION: WILL NOT OCCUR  
CONDITIONS TO AVOID: NONE

---

## SECTION VI-HEALTH HAZARD DATA

---

### EFFECTS OF OVEREXPOSURE

ACUTE: SKIN: PROLONGED /REPEATED CONTACT MAY CAUSE IRRITATION, DEFATTING AND DERMATITIS.

EYES: MAY CAUSE SEVERE IRRITATION, REDNESS TEARING AND BLURRED VISION.

INHALATION: MAY CAUSE DIZZINESS, WEAKNESS, HEADACHE, UNCONSCIOUSNESS AND EVEN ASPHYXIATION.

INGESTION MAY CAUSE GASTROINTESTINAL IRRITATION, NAUSEA, VOMITING AND DIARRHEA.

Read and follow label directions and information given on Material Safety Data Sheets and use care when handling or using all petroleum products.

---

### EMERGENCY FIRST AID PROCEDURE

SKIN: REMOVE CONTAMINATED CLOTHING. WASH EXPOSED AREA. WITH SOAP AND WATER. IF IRRITATION PERSISTS GET MEDICAL ATTENTION.

EYES: FLUSH WITH LARGE AMOUNTS OF CLEAN ROOM TEMPERATURE WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION.

INHALATION: REMOVE TO FRESH AIR. IF BREATHING IS DIFFICULT, ADMINISTER OXIGEN. IF BREATHING STOPS, GIVE ARTIFICIAL RESPIRATION AND SEEK MEDICAL ATTENTION IMMEDIATELY.

INGESTION: DO NOT INDUCE VOMITING. ASPIRATION INTO LUNGS CAN CAUSE CHEMICAL PNEUMONITIS, WHICH CAN BE FATAL. KEEP PERSON WARM AND QUIET.

---

## SECTION VII – SPILL OR LEAK PROCEDURES

---

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: ELIMINATE SOURCES OF IGNITION  
KEEP PRODUCT OUT OF SEWERS BY DIKING OR IMPOUNDING. SOAK UP SPILL WITH SAND OR OTHER  
ABSORBENT. PLACE IN CONTAINERS. WASH AREA.

WASTE DISPOSAL METHOD: DISPOSE IN ACCORDANCE WITH LOCAL, STATE OR FEDERAL REGULATIONS.

---

## SECTION VIII – SPECIAL PROTECTION INFORMATION

---

RESPIRATORY PROTECTION: USE NIOSH/MSHA APPROVED RESPIRATOR WHEN TLV IS EXCEEDED.

VENTILATION: USE WITH ADEQUATE VENTILATION.

PROTECTIVE GLOVES: NITRILE RUBBER SHOULD BE USED.

EYE PROTECTION: SAFETY GOGGLES SHOULD BE USED.

OTHER PROTECTIVE EQUIPMENT: FACE SHIELD

OTHER PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. KEEP CONTAINERS TIGHTLY CLOSED.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: STORE IN COOL PLACE

---

## SECTION IX – REGULATORY INFORMATION

---

DOT Proper Shipping Name: Not regulated by D.O.T.

TSCA Status: All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

CALIF. PROP. 65 • CHEMICAL WARNING (CALIFORNIA HEALTH AND SAFETY CODE #25249.5 ET SEQ).

WARNING: This product contains chemicals known to the State of California to cause cancer, birth defects or reproductive harm.